New Jersey Division of AIDS Prevention and Control Persons Living with HIV/AIDS as of December 31, 2002 Bergen County Residents

1	Current HIV/AIDS Category	Adult/Ado Cases	olescent *		Pediat Cases	ric *			Tota Cases	al %
±•	AIDS-Any OI AIDS-CD4 Only HIV Only	 # 412 #	 # 34 #		# 0 #		# O #	_	316 412 497	26 34 41
	Total	1214			11	10			1225	100
2.	Current Age * Cases %		/Eth.		Adult/ Cases	8 %	Pedia Cases	%	Tota Cases	%
	<5 # # 5-12 # # 13-19 9 1 20-29 51 4 30-39 333 27	White Black Hispa Other	Not Hisp K, Not Hisp anic r/Unknown	oanic oanic	# 331 190	# 27 16 #	# 5	# 45 # #	658 336 193	54 27 16 3
	40-49 534 44 50+ 287 23 Unk. 0 0		L		1214			100		
	Total 1225 100									
4.	Patient Group		Ad Males	,		nt Tra Femal			lodes ** Tota	
	Men sex with men (MSM) Injection drug user (IDU) MSM/IDU Heterosexual contact Risk not reported/other***		70 195	41 23 4 8 23		9 14 11			29 3 21 31	14 29 93 24 85 3 19 18
	Total		838				4 100		120	
			Males	Pe	diatric		missio	n Mod	les Tota	al %
	Parent at risk/has AIDS/HIV Risk not reported/other***		# #	 # #			# #			# # # #
	Total		8	100			5 100			23 100

NOTE: Includes only those persons known to be infected with HIV.

- # Indicates that number is not shown due to small cell size, in accordance with NJDHSS security and confidentiality policies.
- * Classification based on current age at the end of December 2002.
- ** 12 patients are currently of adult/adolescent age (13+ years old), but have evidence of having been HIV-infected as children. They are counted as adult/adolescent reports in tables 1,2, and 3, and as pediatric reports in table 4.
- *** Included in this category are persons with modes of transmission of coagulation disorder and transfusion with blood/blood products.

New Jersey Division of AIDS Prevention and Control AIDS Cases Reported as of December 31, 2002 Bergen County Residents

Adult/Adolescent*

1. Disease Category

PCP Other OI w KS Alone No Disease			660 (34) 620 (32) 54 (3) 595 (31)	527 (80) 454 (73) 45 (83) 183 (31)	14	9 (39) 4 (61) 9 (0) 9 (0)	6 0	(100) (46) (.) (.)	•	32)	460 45	(80) (73) (83) (31)
Total			1929 (100)	1209 (63)	23	3 (100)	15	(68)	1952 (1	.00)	1224	(63)
2. Age *	Cases	8	3. Race/	Eth.	Adult/A		Pediatr Cases	ic* %	Total Cases	%		
Under 5	11	1	White	, Not Hispanic	1222	63	10	43	1232	63		
5-12	12	1	Black	, Not Hispanic	457	24	9	39	466	24		
13-19	9	0	Hispa	•	228	12	#	13	231	12		
20-29	261	13	-	/Unknown	22	1	#	4	23	1		
30-39	857											
40-49	550		Total		1929	100	23	100	1952	100		
Over 49	252											
Unknown	0	0										
Total	1952	100										

Cases (%) Deaths (%) Cases (%) Deaths (%) Cases (%)

Pediatric*

Total

Deaths (%)

4.	Patient Group	Adult/Adolescent Transmission Modes **									
		Males	용	Females	8	Total	용				
	Men sex with men (MSM)	657	44	0	0	657	34				
	Injection drug user (IDU)	435	29	164	37	599	31				
	MSM/IDU	60	4	0	0	60	3				
	Heterosexual contact	86	6	173	39	259	13				
	Risk not reported/other***	248	17	103	23	351	18				
	Total	1486	100	440	100	1926	100				

	Pediatric Transmission Modes					
	Males	용	Females	용	Total	용
Parent at risk/has AIDS/HIV	6	50	13	93	19	73
Risk not reported/other***	6	50	#	#	7	27
Total	12	100	14	100	26	100

[#] Indicates that number is not shown due to small cell size, in accordance with NJDHSS security and confidentiality policies.

^{*} Classification at time of AIDS diagnosis.

^{** 3} patients were diagnosed with AIDS as adults, but have evidence either of having been HIV-infected or of having acquired AIDS as children. They are counted as adult/adolescent reports in tables 1,2, and 3; and as pediatric reports in table 4.

^{***} Included in this category are persons with modes of transmission of coagulation disorder and transfusion with blood/blood products.

New Jersey Division of AIDS Prevention and Control AIDS Cases Reported as of December 31, 2002 Bergen County Residents

5. AIDS Cases by Year of Diagnosis.

Year of Diagnosis	Number of Cases	Number of Deaths	Case-Fatality Rate		
Before 1985	42	41	98%		
1985	54	50	93%		
1986	69	63	91%		
1987	97	91	94%		
1988	96	91	95%		
1989	114	109	96%		
1990	118	103	87%		
1991	136	119	88%		
1992	143	116	81%		
1993	209	132	63%		
1994	193	103	53%		
1995	160	80	50%		
1996	123	36	29%		
1997	107	35	33%		
1998	55	15	27%		
1999	77	18	23%		
2000	81	12	15%		
2001	50	#	#		
2002	28	#	#		
Total	1952	1224	63%		

[#] Indicates that number is not shown due to small cell size, in accordance with NJDHSS security and confidentiality policies.

New Jersey Division of AIDS Prevention and Control HIV INFECTION-not-AIDS Reports with Identifiers Reported as of December 31, 2002 Bergen County Residents

				Adult/A	Adl*	Pediat	ric*	Total	
1. Age *	Cases	용	Race/Ethnicity	Cases	용	Cases	용	Cases	용
Under 5	#	#	White, Not Hispanic	290	54	5	33	295	54
5-12	#	#	Black, Not Hispanic	146	27	5	33	151	27
13-19	7	1	Hispanic	75	14	5	33	80	15
20-29	130	24	Other/Unknown	25	5	0	0	25	5
30-39	218	40							
40-49	137	25	Total	536	100	15	100	551	100
Over 49	44	8							
Unknown	0	0							
Total	551	100							

3.	Patient Group	Ac	lult/Ado	olescent Transmission Mode	es **	
	-	Males	%	Females %	Total	%
	Men sex with men (MSM)	135	38	0 0	135	25
	Injection drug user (IDU)	85	24	60 34	145	27
	MSM/IDU	20	6	0 0	20	4
	Heterosexual contact	27	8	65 37	92	17
	Risk not reported/other***	91	25	53 30	144	27
	Total	358	100	178 100	536	100
			Pedi	iatric Transmission Modes		
		Males	%	Females %	Total	%
	D		1.00			1.00
	Parent at risk/has AIDS/HIV	6	100	9 100	15	100
	Risk not reported/other***	0	0	0 0	0	0
	Total	6	100	9 100	15	100

- # Indicates that number is not shown due to small cell size, in accordance with NJDHSS security and confidentiality policies.
- * Classification at time of first HIV+ test or at time of report if not yet confirmed HIV+.
- ** 0 patients were diagnosed with HIV as adults, but have evidence of having been HIV-infected as children. They are counted as adult/adolescent reports in tables 1 and 2; and as pediatric reports in table 3.
- *** Included in this category are persons with modes of transmission of coagulation disorder and transfusion with blood/blood products.

NOTE: Includes only those persons known to be infected with HIV.

These tables include those reports of HIV Positive infection that have not yet been updated to AIDS status. Not included in these tables are cases initially reported as HIV-not-AIDS that have subsequently been updated to AIDS. Also not included in these tables are HIV Perinatal Exposure Reports where the serostatus of the child is not confirmed HIV Positive; i.e., the HIV serostatus of the child is undetermined or has been found to be negative (seroreverted).

New Jersey Division of AIDS Prevention and Control HIV/AIDS Cases Reported as of December 31, 2002 Bergen County Residents

1.	Current HI					S		Pe Cas	es	cic *		Cas		용	
	AIDS-Any C AIDS-CD4 C HIV Only)I)nly			1332	2 # #			25 # #	61 # #		13 5	57 95 51	54 24 22	
	Total				2462		100		41	100			03	100	
2.	Age *			3.				Adult/ Cases	용	Cas	ses			Cases	tal %
	Under 5 5-12 13-19 20-29 30-39		1 1 1 19		White, Black, Hispan: Other/U	Not Not ic Jnkn	Hispanic Hispanic	1509 603 303 #	61 24 12 #		8	44 34		1527 617 311 48	25 12 2
	40-49 Over 49 Unknown Total	619 279 0 2503	11 0 		Total			2462	100		41	100		2503	100
4.	Patient Gr	roup					Ad Males	,		Transm Temales			es ** Total	olo	
	Men sex wi Injection MSM/IDU Heterosexu Risk not r	th men (M drug user al contac eported/o	ISM) (IDU) tt				792 520 80 113 339	43 28 4 6	-	0 224 0 238 156	0 36 0 39 25		792 744 80 351 495	32 32 30 30 3 14 5	
	Total						1844		-	618	100		2462		
							Males	%	Ε	Transmis Temales	용		Total		
	Parent at Risk not r	risk/has eported/o	AIDS/HI				12 6	67 33			96 #		34	83 7 17	

18 100 23 100 41 100

NOTE: Includes only those persons known to be infected with HIV.

- Indicates that number is not shown due to small cell size, in accordance with NJDHSS security and confidentiality policies.
- * Classification at time of first HIV+/AIDS diagnosis.

Total

- ** 0 patients were diagnosed with HIV/AIDS as adults, but have evidence of having been HIV-infected as children. They are counted as adult/adolescent reports in tables 1,2 and 3; and as pediatric reports in table 4.
- $\ensuremath{^{\star\star\star}}$ Included in this category are persons with modes of transmission of coagulation disorder and transfusion with blood/blood products.

New Jersey Division of AIDS Prevention and Control HIV/AIDS Cases Reported as of December 31, 2002 Bergen County Residents

5. HIV/AIDS Cases by Year of First HIV/AIDS Diagnosis.

Year of First HIV/AIDS Diagnosis	Cases	Number Known Dead	Case-Fatality Rate
Before 1985	48	44	92%
1985	73	61	84%
1986	93	82	88%
1987	133	109	82%
1988	155	122	79%
1989	169	138	82%
1990	193	145	75%
1991	194	135	70%
1992	203	113	56%
1993	183	85	46%
1994	173	76	44%
1995	177	67	38%
1996	149	29	19%
1997	135	31	23%
1998	96	8	8%
1999	101	16	16%
2000	114	10	9%
2001	73	7	10%
2002	41	0	0%
Total	2503	1278	51%

[#] Indicates that number is not shown due to small cell size, in accordance with NJDHSS security and confidentiality policies.